

Sequenom Laboratories 3595 John Hopkins Court San Diego, CA 92121

877.821.7266

TEST

TEST

TEST

8%

Yes

CLIA #: 05D2015356 CAP #: 7527138 Lab Director: Phillip Cacheris, MD, PhD

Final Report

Ordering Provider: Provider Location: Provider Phone: Date Ordered: Date Collected: Date Received: Order ID: Patient ID: SanDiego, Testdoc Sequenom SD 11/23/2020 11/18/2020 11/23/2020 ORD_TEST

Patient: DOB: Specimen: Fetal Fraction: Gestational Age ≥ 9w: External Accession: Referral Clinician: Date Reported:

04/23/2021 02:51 PM PT

Test Result

Negative

Lab Director Comments

This specimen showed an expected representation of chromosome 21, 18 and 13 material. Clinical correlation is suggested.

This is a reported twin gestation with Y chromosome material detected. Based on the amount of Y material, the probability of male/female twins is 95.6% and male/male twins is 4.4% (Rafalko et al, PLOS ONE 2021). Results should be interpreted in the context of chorionicity and other clinical information.

MaterniT® 21 PLUS (Core) + ESS Twin

Gestation

Result Table

Content	Result			
FETAL SEX	Consistent with Male			
AUTOSOMAL ANEUPLOIDIES				
Trisomy 21 (Down syndrome)	Negative			
Trisomy 18 (Edwards syndrome)	Negative			
Trisomy 13 (Patau syndrome)	Negative			
SEX CHROMOSOME ANEUPLOIDIES				
Monosomy X (Turner syndrome)	Not Validated			
XYY (Jacob's syndrome)	Not Validated			
XXY (Klinefelter syndrome)	Not Validated			
XXX (Triple X syndrome)	Not Validated			
SELECT WHOLE CHROMOSOMES	SELECT WHOLE CHROMOSOMES			
Trisomy 16	Not Detected			
Trisomy 22	Not Detected			
SELECT MICRODELETIONS	SELECT MICRODELETIONS			
22q11 deletion (associated with DiGeorge syndrome)	Not Detected			
15q11 deletion (associated with Prader-Willi / Angelman syndrome)	Not Detected			
11q23 deletion (associated with Jacobsen syndrome)	Not Detected			
8q24 deletion (associated with Langer-Giedion syndrome)	Not Detected			
5p15 deletion (associated with Cri-du-chat syndrome)	Not Detected			
4p16 deletion (associated with Wolf-Hirschhorn syndrome)	Not Detected			
1p36 deletion syndrome	Not Detected			

This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 877.821.7266 Sequenom®, Sequenom Laboratories® and MaterniT® are trademarks of Sequenom. ©2021 Sequenom Laboratories. rep-1407-v1-1119 | 22068-1119-1



Sequenom Laboratories

3595 John Hopkins Court San Diego, CA 92121 CLIA #: 05D2015356 CAP #: 7527138 Lab Director: Phillip Cacheris, MD, PhD

MaterniT® 21 PLUS (Core) + ESS Twin

Gestation

877.821.7266

Ordering Provider:	SanDiego, Testdoc	Patient:	TEST
Provider Location:	Sequenom SD	DOB:	TEST
Provider Phone:		Specimen:	TEST
Date Ordered:	11/23/2020	Fetal Fraction:	8%
Date Collected:	11/18/2020	Gestational Age \geq 9w:	Yes
Date Received:	11/23/2020	External Accession:	
Order ID:	ORD_TEST	Referral Clinician:	
Patient ID:		Date Reported:	04/23/2021 02:51 PM PT

Negative Predictive Value

The Negative Predictive Value (NPV) for trisomy 21, 18, and 13 is greater than 99%. The NPV for SCA and ESS cannot be calculated as SCA and ESS are only reported when an abnormality is detected

About the Test

Final Report

The MaterniT* 21 PLUS laboratory-developed test (LDT) analyzes circulating cell-free DNA from a maternal blood sample. The test is indicated for use in pregnant women with increased risk for fetal chromosomal aneuploidy. Validation data on twin pregnancies is limited and the ability of this test to detect aneuploidy in a triplet pregnancy has not yet been validated

Test Method

Circulating cell-free DNA was purified from the plasma component of maternal blood. The extracted DNA was then converted into a genomic DNA library for aneuploidy analysis of chromosomes 21, 18, and 13 via next generation sequencing.[1] Optional findings based on the test order include sex chromosome aneuploidy (SCA)[2], and enhanced sequencing series (ESS)[3], which will only be reported on as an additional finding when an abnormality is detected. SCA testing includes information on X and Y representation, while ESS testing includes deletions in selected regions (22q, 15q, 11q, 8q, 5p, 4p, 1p) and trisomy of chromosomes 16 and 22.

Performance

The performance characteristics of the MaterniT* 21 PLUS laboratory-developed test (LDT) have been determined in a clinical validation study with pregnant women at increased risk for fetal chromosomal aneuploidy. [1],[2],[3],[4]

Y-Chromosome (Fetal Sex)	Accuracy: 99.4%	
Region (associated syndrome)	Estimated Sensitivity**	Estimated Specificity
Trisomy 21 (Down Syndrome)	99.1%	99.9%
Trisomy 18 (Edwards Syndrome)	>99.9%	99.6%
Trisomy 13 (Patau Syndrome)	91.7%	99.7%
Sex Chromosome Aneuploidies (singleton gestation only)	96.2%	99.7%

* As reported in ISCA database nstd37 [http://dbsearch.clinicalgenome.org/search/]

** Sensitivity estimated across the observed size distribution of each syndrome [per ISCA database nstd37] and across the range of fetal fractions observed in routine clinical NIPT. Actual sensitivity can also be influenced by other factors such as the size of the event, total sequence counts, amplification bias, or sequence bias

Limitations of the Test

While the results of these tests are highly accurate, discordant results, including inaccurate fetal sex prediction, may occur due to placental, maternal, or fetal mosaicism or neoplasm; vanishing twin; prior maternal organ transplant; or other causes. Sex chromosomal aneuploidies are not reportable for known multiple gestations. These tests are screening tests and not diagnostic; they do not replace the accuracy and precision of prenatal diagnosis with CVS or amniocentesis. A patient with a positive test result should be referred for genetic counseling and offered invasive prenatal diagnosis for confirmation of test results.[5] A negative result does not ensure an unaffected pregnancy nor does it exclude the possibility of other chromosomal abnormalities or birth defects which are not a part of these tests. An uninformative result may be reported, the causes of which may include, but are not limited to, insufficient sequencing coverage, noise or artifacts in the region, amplification or sequencing bias, or insufficient feal fraction. These tests are not intended to identify pregnancies at risk for neural tube defects or ventral wall defects. Testing for whole chromosome abnormalities (including sex chromosomes) and for subchromosomal abnormalities that could have major, minor, or no, clinical significance. Evaluating the significance of a positive or a non-reportable result may involve both invasive testing and additional studies on the mother. Such investigations may lead to a diagnosis of maternal chromosomal or subchromosomal abnormalities, which on occasion may be associated with benign or malignant maternal neoplasms. These tests may not accurately identify fetal triploidy, balanced rearrangements, or the precise location of subchromosomal duplications or deletions; these may be detected by prenatal diagnosis with CVS or amniocentesis. The ability to report results may be impacted by maternal BMI, maternal weight, maternal systemic lupus erythematosus (SLE) and/or by certain pharmaceutical agents such as low molecular weight heparin (for example: Lovenox*, Xaparin*, Clexane* and Fragmin*). The results of this testing, including the benefits and limitations, should be discussed with a qualified healthcare provider. Pregnancy management of their patient.

Note

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing and accredited by the College of American Pathologists (CAP)

References

- 1. Palomaki GE, et al. Genet Med. 2012;14(3):296-305.
- 2. Mazloom AR, et al. Prenat Diag. 2013;33(6):591-597.
- 3. Zhao C, et al. Clin Chem. 2015 Apr:61(4):608-616.
- 4. Palomaki GE, et al. Genet Med. 2011;13(11):913-920.
- 5. ACOG/SMFM Joint Committee Opinion No. 545, Dec 2012.

This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 877.821.7266 Sequenom®, Sequenom Laboratories® and MaterniT® are trademarks of Sequenom. ©2021 Sequenom Laboratories. rep-1407-v1-1119 | 22068-1119-1

MaterniT21 Lab Report

Sequenom Laboratories

3595 John Hopkins Court San Diego, CA 92121 CLIA #: 05D2015356 CAP #: 7527138 Lab Director: Phillip Cacheris, MD, PhD

Final Report

MaterniT® 21 PLUS (Core) + ESS Twin

Gestation

877.821.7266

Ordering Provider:	SanDiego, Testdoc	Patient:	TEST
Provider Location:	Sequenom SD	DOB:	TEST
Provider Phone:		Specimen:	TEST
Date Ordered:	11/23/2020	Fetal Fraction:	8%
Date Collected:	11/18/2020	Gestational Age ≥ 9w:	Yes
Date Received:	11/23/2020	External Accession:	
Order ID:	ORD_TEST	Referral Clinician:	
Patient ID:		Date Reported:	04/23/2021 02:51 PM PT

Asritha Challa, MD, PhD Director, Sequenom Laboratories 04/23/2021

This document contains private and confidential health information protected by state and federal law. If you have received this document in error, please call 877.821.7266 Sequenom®, Sequenom Laboratories® and MaterniT® are trademarks of Sequenom. ©2021 Sequenom Laboratories. rep-1407-v1-1119 | 22068-1119-1